

Data Path : Z:\VOASRV\HPCHEM1\MSVOA X\DATA\VX060618\  
 Data File : VX002347.D  
 Acq On : 06 Jun 2018 12:49  
 Operator : JC/MD  
 Sample : J3270-03  
 Misc : 5.0mL/MSVOA X/WATER  
 ALS Vial : 6 Sample Multiplier: 1

Instrument :  
 MSVOA\_X  
 ClientSampleId :  
 LF6-0055

Quant Time: Jun 07 05:21:33 2018  
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA\_X\METHOD\82X060418W.M  
 Quant Title : SW846 8260  
 QLast Update : Tue Jun 05 03:22:35 2018  
 Response via : Initial Calibration

| Internal Standards         | R.T.  | QIon | Response | Conc  | Units | Dev(Min) |
|----------------------------|-------|------|----------|-------|-------|----------|
| 1) Pentafluorobenzene      | 5.67  | 168  | 244413   | 50.00 | ug/l  | 0.00     |
| 34) 1,4-Difluorobenzene    | 6.87  | 114  | 359707   | 50.00 | ug/l  | 0.00     |
| 63) Chlorobenzene-d5       | 10.12 | 117  | 332053   | 50.00 | ug/l  | 0.00     |
| 72) 1,4-Dichlorobenzene-d4 | 12.09 | 152  | 189167   | 50.00 | ug/l  | 0.00     |

| System Monitoring Compounds |        |     |          |       |        |      |
|-----------------------------|--------|-----|----------|-------|--------|------|
| 33) 1,2-Dichloroethane-d4   | 6.07   | 65  | 173720   | 49.68 | ug/l   | 0.00 |
| Spiked Amount               | 50.000 |     | Recovery | =     | 99.36% |      |
| 35) Dibromofluoromethane    | 5.51   | 113 | 129222   | 45.68 | ug/l   | 0.00 |
| Spiked Amount               | 50.000 |     | Recovery | =     | 91.36% |      |
| 50) Toluene-d8              | 8.72   | 98  | 517399   | 47.72 | ug/l   | 0.00 |
| Spiked Amount               | 50.000 |     | Recovery | =     | 95.44% |      |
| 62) 4-Bromofluorobenzene    | 11.14  | 95  | 182716   | 43.70 | ug/l   | 0.00 |
| Spiked Amount               | 50.000 |     | Recovery | =     | 87.40% |      |

| Target Compounds | Qvalue |
|------------------|--------|
| -----            |        |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA X\DATA\VX060618\  
Data File : VX002347.D  
Acq On : 06 Jun 2018 12:49  
Operator : JC/MD  
Sample : J3270-03  
Misc : 5.0mL/MSVOA X/WATER  
ALS Vial : 6 Sample Multiplier: 1

Instrument :  
MSVOA\_X  
ClientSampleId :  
LF6-0055

Quant Time: Jun 07 05:21:33 2018  
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA\_X\METHOD\82X060418W.M  
Quant Title : SW846 8260  
QLast Update : Tue Jun 05 03:22:35 2018  
Response via : Initial Calibration

