

Data Path : Z:\voasrv\HPCHEM1\MSVOA X\Data\WX061518\
 Data File : VX002626.D
 Acq On : 16 Jun 2018 05:00
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA X/WATER
 ALS Vial : 36 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Jun 16 07:21:08 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X061518W.M
 Quant Title : SW846 8260
 QLast Update : Sat Jun 16 01:37:33 2018
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	89	0.00
2 T	Dichlorodifluoromethane	0.531	0.501	5.6	88	0.00
3 P	Chloromethane	0.631	0.559	11.4	84	0.00
4 C	Vinyl Chloride	0.655	0.631	3.7#	88	0.00
5 T	Bromomethane	0.395	0.333	15.7	85	0.00
6 T	Chloroethane	0.432	0.426	1.4	91	0.00
7 T	Trichlorofluoromethane	1.065	1.085	-1.9	89	0.00
8 T	Diethyl Ether	0.405	0.386	4.7	89	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.595	0.603	-1.3	90	0.00
10 T	Methyl Iodide	0.733	0.629	14.2	74	0.00
11 T	Tert butyl alcohol	0.157	0.152	3.2	92	0.00
12 CM	1,1-Dichloroethene	0.559	0.549	1.8#	89	0.00
13 T	Acrolein	0.080	0.059	26.3#	76	0.00
14 T	Allyl chloride	1.109	1.057	4.7	86	0.00
15 T	Acrylonitrile	0.343	0.332	3.2	90	0.00
16 T	Acetone	0.335	0.314	6.3	90	0.00
17 T	Carbon Disulfide	1.325	1.350	-1.9	90	0.00
18 T	Methyl Acetate	0.893	0.871	2.5	90	0.00
19 T	Methyl tert-butyl Ether	2.096	2.025	3.4	89	0.00
20 T	Methylene Chloride	0.687	0.621	9.6	90	0.00
21 T	trans-1,2-Dichloroethene	0.606	0.595	1.8	90	0.00
22 T	Diisopropyl ether	2.007	1.935	3.6	90	0.00
23 T	Vinyl Acetate	1.680	1.620	3.6	89	0.00
24 P	1,1-Dichloroethane	1.089	1.012	7.1	92	0.00
25 T	2-Butanone	0.440	0.434	1.4	91	0.00
26 T	2,2-Dichloropropane	0.783	0.548	30.0#	62	0.00
27 T	cis-1,2-Dichloroethene	0.617	0.610	1.1	93	0.00
28 T	Bromochloromethane	0.510	0.512	-0.4	89	0.00
29 T	Tetrahydrofuran	0.289	0.282	2.4	90	0.00
30 C	Chloroform	1.050	1.067	-1.6#	92	0.00
31 T	Cyclohexane	0.897	0.914	-1.9	90	0.00
32 T	1,1,1-Trichloroethane	0.879	0.924	-5.1	92	0.00
33 S	1,2-Dichloroethane-d4	0.760	0.735	3.3	91	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	89	0.00
35 S	Dibromofluoromethane	0.399	0.402	-0.8	93	0.00
36 T	1,1-Dichloropropene	0.531	0.528	0.6	89	0.00
37 T	Ethyl Acetate	0.601	0.587	2.3	90	0.00
38 T	Carbon Tetrachloride	0.529	0.558	-5.5	90	0.00
39 T	Methylcyclohexane	0.621	0.635	-2.3	88	0.00
40 TM	Benzene	1.592	1.586	0.4	91	0.00
41 T	Methacrylonitrile	0.339	0.334	1.5	91	0.00
42 TM	1,2-Dichloroethane	0.616	0.621	-0.8	92	0.00
43 T	Isopropyl Acetate	0.996	0.965	3.1	87	0.00
44 TM	Trichloroethene	0.460	0.456	0.9	90	0.00
45 C	1,2-Dichloropropane	0.419	0.423	-1.0#	92	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA X\Data\WX061518\
 Data File : VX002626.D
 Acq On : 16 Jun 2018 05:00
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA X/WATER
 ALS Vial : 36 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Jun 16 07:21:08 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X061518W.M
 Quant Title : SW846 8260
 QLast Update : Sat Jun 16 01:37:33 2018
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.280	0.285	-1.8	92	0.00
47 T	Bromodichloromethane	0.494	0.522	-5.7	91	0.00
48 T	Methyl methacrylate	0.509	0.505	0.8	90	0.00
49 T	1,4-Dioxane	0.010	0.010	0.0	93	0.00
50 S	Toluene-d8	1.515	1.551	-2.4	92	0.00
51 T	4-Methyl-2-Pentanone	0.639	0.648	-1.4	91	0.00
52 CM	Toluene	1.016	1.051	-3.4#	92	0.00
53 T	t-1,3-Dichloropropene	0.582	0.591	-1.5	85	0.00
54 T	cis-1,3-Dichloropropene	0.539	0.543	-0.7	84	0.00
55 T	1,1,2-Trichloroethane	0.410	0.425	-3.7	93	0.00
56 T	Ethyl methacrylate	0.632	0.648	-2.5	90	0.00
57 T	1,3-Dichloropropane	0.694	0.697	-0.4	92	0.00
58 T	2-Chloroethyl Vinyl ether	0.305	0.308	-1.0	91	0.00
59 T	2-Hexanone	0.482	0.492	-2.1	90	0.00
60 T	Dibromochloromethane	0.396	0.435	-9.8	93	0.00
61 T	1,2-Dibromoethane	0.425	0.442	-4.0	91	0.00
62 S	4-Bromofluorobenzene	0.574	0.590	-2.8	92	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	91	0.00
64 T	Tetrachloroethene	0.555	0.537	3.2	89	0.00
65 PM	Chlorobenzene	1.228	1.209	1.5	92	0.00
66 T	1,1,1,2-Tetrachloroethane	0.419	0.435	-3.8	92	0.00
67 C	Ethyl Benzene	2.071	2.082	-0.5#	91	0.00
68 T	m/p-Xylenes	0.799	0.811	-1.5	92	0.00
69 T	o-Xylene	0.785	0.792	-0.9	93	0.00
70 T	Styrene	1.291	1.326	-2.7	91	0.00
71 P	Bromoform	0.315	0.332	-5.4	91	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	90	0.00
73 T	Isopropylbenzene	3.344	3.373	-0.9	92	0.00
74 T	N-amyl acetate	1.661	1.520	8.5	87	0.00
75 P	1,1,2,2-Tetrachloroethane	0.988	0.976	1.2	94	0.00
76 T	1,2,3-Trichloropropane	0.943	0.950	-0.7	100	0.00
77 T	Bromobenzene	0.932	0.921	1.2	93	0.00
78 T	n-propylbenzene	3.835	3.847	-0.3	91	0.00
79 T	2-Chlorotoluene	2.290	2.247	1.9	92	0.00
80 T	1,3,5-Trimethylbenzene	2.826	2.831	-0.2	91	0.00
81 T	trans-1,4-Dichloro-2-butene	0.249	0.221	11.2	77	0.00
82 T	4-Chlorotoluene	2.702	2.667	1.3	91	0.00
83 T	tert-Butylbenzene	2.723	2.767	-1.6	92	0.00
84 T	1,2,4-Trimethylbenzene	2.884	2.949	-2.3	92	0.00
85 T	sec-Butylbenzene	3.385	3.431	-1.4	91	0.00
86 T	p-Isopropyltoluene	3.063	3.125	-2.0	91	0.00
87 T	1,3-Dichlorobenzene	1.709	1.687	1.3	92	0.00
88 T	1,4-Dichlorobenzene	1.738	1.702	2.1	91	0.00
89 T	n-Butylbenzene	2.702	2.707	-0.2	89	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA X\Data\VX061518\
Data File : VX002626.D
Acq On : 16 Jun 2018 05:00
Operator : JC/MD
Sample : VSTDCCC050
Misc : 5.0mL/MSVOA X/WATER
ALS Vial : 36 Sample Multiplier: 1

Instrument :
MSVOA_X
LabSampleId :
VSTDCCC050

Quant Time: Jun 16 07:21:08 2018
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X061518W.M
Quant Title : SW846 8260
QLast Update : Sat Jun 16 01:37:33 2018
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.423	0.446	-5.4	91	0.00
91 T	1,2-Dichlorobenzene	1.720	1.715	0.3	93	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.207	0.214	-3.4	90	0.00
93 T	1,2,4-Trichlorobenzene	1.248	1.260	-1.0	90	0.00
94 T	Hexachlorobutadiene	0.657	0.646	1.7	86	0.00
95 T	Naphthalene	3.358	3.488	-3.9	91	0.00
96 T	1,2,3-Trichlorobenzene	1.253	1.271	-1.4	92	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6