

Data Path : Z:\VOASRV\HPCHEM1\MSVOA X\DATA\VX083119\
 Data File : VX011983.D
 Acq On : 01 Sep 2019 07:17
 Operator : SY/SP
 Sample : K4527-09
 Misc : 6.37g/5.0mL/MSVOA X/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 T9-12-13-N4-(0)

Quant Time: Sep 02 01:39:40 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X082919S.M
 Quant Title : SW846 8260
 QLast Update : Fri Aug 30 01:59:05 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	5.65	168	416569	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	6.85	114	541213	50.00	ug/l	0.00
63) Chlorobenzene-d5	10.11	117	454410	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	12.07	152	207550	50.00	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	6.05	65	170291	42.67	ug/l	0.00
Spiked Amount 50.000			Recovery	=	85.34%	
35) Dibromofluoromethane	5.48	113	157428	45.36	ug/l	0.00
Spiked Amount 50.000			Recovery	=	90.72%	
50) Toluene-d8	8.71	98	604034	48.69	ug/l	0.00
Spiked Amount 50.000			Recovery	=	97.38%	
62) 4-Bromofluorobenzene	11.13	95	202891	37.28	ug/l	0.00
Spiked Amount 50.000			Recovery	=	74.56%	
Target Compounds						
29) Tetrahydrofuran	5.12	42	5780	7.404	ug/l	Qvalue 95


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA X\DATA\VX083119\
Data File : VX011983.D
Acq On : 01 Sep 2019 07:17
Operator : SY/SP
Sample : K4527-09
Misc : 6.37g/5.0mL/MSVOA X/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
T9-12-13-N4-(0)

Quant Time: Sep 02 01:39:40 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_X\METHOD\82X082919S.M
Quant Title : SW846 8260
QLast Update : Fri Aug 30 01:59:05 2019
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 5.65 min Scan# 781

Delta R.T. 0.00 min

Lab File: VX011983.D

Acq: 01 Sep 2019 07:17

Instrument :

MSVOA_X

ClientSampleId :


T9-12-13-N4-(0)

Tot Ion:168 Resp: 416569

Ion Ratio Lower Upper

168 100

99 47.4 38.4 57.6



Abundance Ion 167.90 (167.60 to 168.60): V

Ion 98.90 (98.60 to 99.60): VX0

5.65



150000

100000

50000

0

Time-->



#29

Tetrahydrofuran

Concen: 7.404 ug/l

RT: 5.12 min Scan# 695

Delta R.T. 0.01 min

Lab File: VX011983.D

Acq: 01 Sep 2019 07:17


Tgt Ion: 42 Resp: 5780

Ion Ratio Lower Upper

42 100

72 49.0 36.2 54.4

71 43.8 33.1 49.7



Abundance Ion 42.00 (41.70 to 42.70): VX0

Ion 72.00 (71.70 to 72.70): VX0

Ion 71.00 (70.70 to 71.70): VX0

2500

2000


1500


1000

500

0

Time-->









#33
 1,2-Dichloroethane-d4
 Concen: 42.667 ug/l
 RT: 6.05 min Scan# 847
 Delta R.T. 0.00 min
 Lab File: VX011983.D
 Acq: 01 Sep 2019 07:17




Instrument :
 MSVOA_X
 ClientSampleId :
 T9-12-13-N4-(0)


Tot Ion: 65 Resp: 170291
 Ion Ratio Lower Upper
 65 100
 67 50.8 0.0 102.2



#34
 1,4-Difluorobenzene
 Concen: 50.000 ug/l
 RT: 6.85 min Scan# 978
 Delta R.T. 0.00 min
 Lab File: VX011983.D
 Acq: 01 Sep 2019 07:17

Tgt Ion: 114 Resp: 541213
 Ion Ratio Lower Upper
 114 100
 63 18.9 0.0 38.8
 88 15.0 0.0 31.2









#35
Dibromofluoromethane
Concen: 45.362 ug/l
RT: 5.48 min Scan# 754
Delta R.T. 0.00 min
Lab File: VX011983.D
Acq: 01 Sep 2019 07:17

Instrument :
MSVOA_X
ClientSampleId :
T9-12-13-N4-(0)

Tot Ion:113 Resp: 157428
Ion Ratio Lower Upper
113 100
111 102.0 82.1 123.1
192 28.0 21.5 32.3




Abundance Ion 112.80 (112.50 to 113.50): V
Ion 110.80 (110.50 to 111.50): V
Ion 191.70 (191.40 to 192.40): V






#50
Toluene-d8
Concen: 48.689 ug/l
RT: 8.71 min Scan# 1283
Delta R.T. 0.00 min
Lab File: VX011983.D
Acq: 01 Sep 2019 07:17

Tgt Ion: 98 Resp: 604034
Ion Ratio Lower Upper
98 100
100 66.5 53.0 79.6



Abundance Ion 98.00 (97.70 to 98.70): VX0
Ion 100.00 (99.70 to 100.70): V





#62

4-Bromofluorobenzene

Concen: 37.282 ug/l

RT: 11.13 min Scan# 1680

Delta R.T. -0.00 min

Lab File: VX011983.D

Acq: 01 Sep 2019 07:17

Instrument :

MSVOA_X

ClientSampleId :

T9-12-13-N4-(0)


Tot Ion: 95 Resp: 202891

Ion Ratio Lower Upper

95 100

174 100.3 0.0 196.0




176 98.9 0.0 191.4



Abundance Ion 94.90 (94.60 to 95.60): VX0

Ion 173.80 (173.50 to 174.50): V

Ion 175.80 (175.50 to 176.50): V



#63

Chlorobenzene-d5

Concen: 50.000 ug/l

RT: 10.11 min Scan# 1513

Delta R.T. 0.00 min

Lab File: VX011983.D

Acq: 01 Sep 2019 07:17


Tgt Ion: 117 Resp: 454410

Ion Ratio Lower Upper

117 100

82 50.5 42.0 63.0



119 33.2 26.2 39.4






Abundance Ion 116.90 (116.60 to 117.60): V

Ion 82.00 (81.70 to 82.70): VX0

Ion 118.90 (118.60 to 119.60): V





#72

1,4-Dichlorobenzene-d4

Concen: 50.000 ug/l

RT: 12.07 min Scan# 1835

Delta R.T. 0.00 min

Lab File: VX011983.D

Acq: 01 Sep 2019 07:17

Instrument :

MSVOA_X

ClientSampleId :

T9-12-13-N4-(0)

Tot Ion:152 Resp: 207550

Ion Ratio Lower Upper

152 100

115 52.0 37.1 111.3

150 154.4 0.0 339.6

Abundance Ion 151.90 (151.60 to 152.60): V
Ion 114.90 (114.60 to 115.60): V
Ion 149.90 (149.60 to 150.60): V

