

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\WX092622\
 Data File : VX031664.D
 Acq On : 26 Sep 2022 21:42
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 27 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Sep 27 01:56:26 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X092622W.M
 Quant Title : SW846 8260
 QLast Update : Tue Sep 27 01:44:18 2022
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	50.000	50.000	0.0	102	0.00
2 T	Dichlorodifluoromethane	50.000	45.283	9.4	99	0.00
3 P	Chloromethane	50.000	51.233	-2.5	100	0.00
4 C	Vinyl Chloride	50.000	44.934	10.1#	100	0.00
5 T	Bromomethane	50.000	66.270	-32.5#	123	0.00
6 T	Chloroethane	50.000	48.124	3.8	99	0.00
7 T	Trichlorofluoromethane	50.000	47.842	4.3	101	0.00
8 T	Diethyl Ether	50.000	53.651	-7.3	100	0.00
9 T	1,1,2-Trichlorotrifluoroeth	50.000	43.685	12.6	100	0.00
10 T	Methyl Iodide	50.000	50.447	-0.9	97	0.00
11 T	Tert butyl alcohol	250.000	217.748	12.9	85	0.00
12 CM	1,1-Dichloroethene	50.000	52.738	-5.5#	104	0.00
13 T	Acrolein	250.000	274.201	-9.7	103	0.00
14 T	Allyl chloride	50.000	44.957	10.1	98	0.00
15 T	Acrylonitrile	250.000	232.273	7.1	99	0.00
16 T	Acetone	250.000	275.663	-10.3	102	0.00
17 T	Carbon Disulfide	50.000	47.410	5.2	98	0.00
18 T	Methyl Acetate	50.000	45.606	8.8	102	0.00
19 T	Methyl tert-butyl Ether	50.000	48.673	2.7	102	0.00
20 T	Methylene Chloride	50.000	47.570	4.9	99	0.00
21 T	trans-1,2-Dichloroethene	50.000	45.722	8.6	101	0.00
22 T	Diisopropyl ether	50.000	51.390	-2.8	99	0.00
23 T	Vinyl Acetate	250.000	263.274	-5.3	99	0.00
24 P	1,1-Dichloroethane	50.000	45.702	8.6	99	0.00
25 T	2-Butanone	250.000	252.878	-1.2	103	0.00
26 T	2,2-Dichloropropane	50.000	42.103	15.8	84	0.00
27 T	cis-1,2-Dichloroethene	50.000	48.781	2.4	103	0.00
28 T	Bromochloromethane	50.000	50.839	-1.7	100	0.00
29 T	Tetrahydrofuran	250.000	268.364	-7.3	103	0.00
30 C	Chloroform	50.000	50.926	-1.9#	101	0.00
31 T	Cyclohexane	50.000	51.494	-3.0	103	0.00
32 T	1,1,1-Trichloroethane	50.000	52.914	-5.8	102	0.00
33 S	1,2-Dichloroethane-d4	50.000	49.916	0.2	103	0.00
34 I	1,4-Difluorobenzene	50.000	50.000	0.0	105	0.00
35 S	Dibromofluoromethane	50.000	47.690	4.6	102	0.00
36 T	1,1-Dichloropropene	50.000	50.398	-0.8	104	0.00
37 T	Ethyl Acetate	50.000	49.688	0.6	99	0.00
38 T	Carbon Tetrachloride	50.000	51.097	-2.2	103	0.00
39 T	Methylcyclohexane	50.000	49.003	2.0	105	0.00
40 TM	Benzene	50.000	48.635	2.7	101	0.00
41 T	Methacrylonitrile	50.000	51.493	-3.0	104	0.00
42 TM	1,2-Dichloroethane	50.000	49.927	0.1	99	0.00
43 T	Isopropyl Acetate	50.000	52.252	-4.5	101	0.00
44 TM	Trichloroethene	50.000	49.133	1.7	106	0.00
45 C	1,2-Dichloropropane	50.000	48.999	2.0#	102	0.00
46 T	Dibromomethane	50.000	49.082	1.8	103	0.00
47 T	Bromodichloromethane	50.000	53.073	-6.1	104	0.00
48 T	Methyl methacrylate	50.000	54.621	-9.2	104	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX092622\
 Data File : VX031664.D
 Acq On : 26 Sep 2022 21:42
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 27 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Sep 27 01:56:26 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X092622W.M
 Quant Title : SW846 8260
 QLast Update : Tue Sep 27 01:44:18 2022
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
49 T	1,4-Dioxane	1000.000	1144.509	-14.5	107	0.01
50 S	Toluene-d8	50.000	53.064	-6.1	106	0.00
51 T	4-Methyl-2-Pentanone	250.000	273.883	-9.6	103	0.00
52 CM	Toluene	50.000	54.455	-8.9#	104	0.00
53 T	t-1,3-Dichloropropene	50.000	48.718	2.6	99	0.00
54 T	cis-1,3-Dichloropropene	50.000	54.214	-8.4	100	0.00
55 T	1,1,2-Trichloroethane	50.000	53.184	-6.4	103	0.00
56 T	Ethyl methacrylate	50.000	58.500	-17.0	104	0.00
57 T	1,3-Dichloropropane	50.000	52.560	-5.1	102	0.00
58 T	2-Chloroethyl Vinyl ether	250.000	276.214	-10.5	106	0.00
59 T	2-Hexanone	250.000	275.769	-10.3	102	0.00
60 T	Dibromochloromethane	50.000	49.537	0.9	100	0.00
61 T	1,2-Dibromoethane	50.000	57.578	-15.2	103	0.00
62 S	4-Bromofluorobenzene	50.000	58.578	-17.2	106	0.00
63 I	Chlorobenzene-d5	50.000	50.000	0.0	104	0.00
64 T	Tetrachloroethene	50.000	48.030	3.9	107	0.00
65 PM	Chlorobenzene	50.000	50.180	-0.4	105	0.00
66 T	1,1,1,2-Tetrachloroethane	50.000	51.508	-3.0	102	0.00
67 C	Ethyl Benzene	50.000	51.255	-2.5#	106	0.00
68 T	m/p-Xylenes	100.000	105.064	-5.1	104	0.00
69 T	o-Xylene	50.000	53.016	-6.0	103	0.00
70 T	Styrene	50.000	54.762	-9.5	105	0.00
71 P	Bromoform	50.000	46.241	7.5	98	0.00
72 I	1,4-Dichlorobenzene-d4	50.000	50.000	0.0	103	0.00
73 T	Isopropylbenzene	50.000	49.887	0.2	104	0.00
74 T	N-ethyl acetate	50.000	49.887	0.2	99	0.00
75 P	1,1,2,2-Tetrachloroethane	50.000	47.758	4.5	100	0.00
76 T	1,2,3-Trichloropropane	50.000	49.672	0.7	102	0.00
77 T	Bromobenzene	50.000	48.541	2.9	106	0.00
78 T	n-propylbenzene	50.000	51.173	-2.3	102	0.00
79 T	2-Chlorotoluene	50.000	49.514	1.0	103	0.00
80 T	1,3,5-Trimethylbenzene	50.000	52.131	-4.3	105	0.00
81 T	trans-1,4-Dichloro-2-butene	50.000	47.027	5.9	97	0.00
82 T	4-Chlorotoluene	50.000	50.996	-2.0	103	0.00
83 T	tert-Butylbenzene	50.000	52.965	-5.9	105	0.00
84 T	1,2,4-Trimethylbenzene	50.000	52.171	-4.3	103	0.00
85 T	sec-Butylbenzene	50.000	51.817	-3.6	104	0.00
86 T	p-Isopropyltoluene	50.000	52.295	-4.6	103	0.00
87 T	1,3-Dichlorobenzene	50.000	49.981	0.0	103	0.00
88 T	1,4-Dichlorobenzene	50.000	48.579	2.8	103	0.00
89 T	n-Butylbenzene	50.000	51.863	-3.7	103	0.00
90 T	Hexachloroethane	50.000	52.591	-5.2	102	0.00
91 T	1,2-Dichlorobenzene	50.000	50.064	-0.1	102	0.00
92 T	1,2-Dibromo-3-Chloropropane	50.000	51.942	-3.9	96	0.00
93 T	1,2,4-Trichlorobenzene	50.000	48.278	3.4	99	0.00
94 T	Hexachlorobutadiene	50.000	46.737	6.5	104	0.00
95 T	Naphthalene	50.000	53.170	-6.3	103	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX092622\
Data File : VX031664.D
Acq On : 26 Sep 2022 21:42
Operator : JC/MD
Sample : VSTDCCC050
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 27 Sample Multiplier: 1

Instrument :
MSVOA_X
LabSampleId :
VSTDCCC050

Quant Time: Sep 27 01:56:26 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X092622W.M
Quant Title : SW846 8260
QLast Update : Tue Sep 27 01:44:18 2022
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
96 T	1,2,3-Trichlorobenzene	50.000	48.887	2.2	101	0.00

(#) = Out of Range SPCC's out = 0 CCC's out = 6