

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX102524\
 Data File : VX043532.D
 Acq On : 25 Oct 2024 18:43
 Operator : JC/MD
 Sample : VIBLK670
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 VIBLK670

Quant Time: Oct 26 01:38:34 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\SFAMXML102524WMA.M
 Quant Title : VOC Analysis
 QLast Update : Sat Oct 26 01:33:53 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.757	114	220483	50.000	ug/L	0.00
28) Chlorobenzene-d5	10.055	117	188983	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	12.024	152	77263	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.368	65	71256	59.410	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	= 118.820%	
7) Chloroethane-d5	1.642	69	29460	30.671	ug/L	-0.02
Spiked Amount	50.000	Range	70 - 130	Recovery	= 61.340%#	
11) 1,1-Dichloroethene-d2	2.294	65	30470	53.797	ug/L	-0.01
Spiked Amount	50.000	Range	60 - 125	Recovery	= 107.600%	
21) 2-Butanone-d5	4.471	46	114578	114.683	ug/L	0.01
Spiked Amount	100.000	Range	40 - 130	Recovery	= 114.680%	
24) Chloroform-d	5.056	84	146454	52.795	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	= 105.600%	
26) 1,2-Dichloroethane-d4	5.952	65	101719	54.573	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	= 109.140%	
32) Benzene-d6	5.970	84	292048	60.877	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	= 121.760%	
36) 1,2-Dichloropropane-d6	7.306	67	90905	60.873	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	= 121.740%#	
41) Toluene-d8	8.647	98	255738	58.227	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	= 116.460%	
43) trans-1,3-Dichloroprop...	8.952	79	35133	44.718	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	= 89.440%	
47) 2-Hexanone-d5	9.391	63	88316	119.240	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	= 119.240%	
56) 1,1,2,2-Tetrachloroeth...	11.189	84	127779	57.476	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	= 114.960%	
66) 1,2-Dichlorobenzene-d4	12.317	152	86535	61.706	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	= 123.420%#	

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX102524\
Data File : VX043532.D
Acq On : 25 Oct 2024 18:43
Operator : JC/MD
Sample : VIBLK670
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
VIBLK670

Quant Time: Oct 26 01:38:34 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\SFAMXML102524WMA.M
Quant Title : VOC Analysis
QLast Update : Sat Oct 26 01:33:53 2024
Response via : Initial Calibration

