

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX110424\
 Data File : VX043686.D
 Acq On : 04 Nov 2024 16:41
 Operator : JC/MD
 Sample : P4621-03
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 BH6M9

Quant Time: Nov 05 03:47:03 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\SFAMXML110424WMA.M
 Quant Title : VOC Analysis
 QLast Update : Tue Nov 05 03:44:12 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.757	114	280859	50.000	ug/L	0.00
28) Chlorobenzene-d5	10.055	117	252665	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	12.024	152	113341	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.368	65	62770	41.952	ug/L	0.00
Spiked Amount	50.000	Range 60 - 135	Recovery	=	83.900%	
7) Chloroethane-d5	1.642	69	31885	49.577	ug/L	0.00
Spiked Amount	50.000	Range 70 - 130	Recovery	=	99.160%	
11) 1,1-Dichloroethene-d2	2.294	65	29598	42.851	ug/L	0.00
Spiked Amount	50.000	Range 60 - 125	Recovery	=	85.700%	
21) 2-Butanone-d5	4.465	46	145625	148.648	ug/L	0.00
Spiked Amount	100.000	Range 40 - 130	Recovery	=	148.650%#	
24) Chloroform-d	5.050	84	172627	53.519	ug/L	0.00
Spiked Amount	50.000	Range 70 - 125	Recovery	=	107.040%	
26) 1,2-Dichloroethane-d4	5.952	65	119309	58.226	ug/L	0.00
Spiked Amount	50.000	Range 70 - 125	Recovery	=	116.460%	
32) Benzene-d6	5.964	84	333291	51.021	ug/L	0.00
Spiked Amount	50.000	Range 70 - 125	Recovery	=	102.040%	
36) 1,2-Dichloropropane-d6	7.306	67	111472	56.089	ug/L	0.00
Spiked Amount	50.000	Range 70 - 120	Recovery	=	112.180%	
41) Toluene-d8	8.647	98	295186	49.744	ug/L	0.00
Spiked Amount	50.000	Range 80 - 120	Recovery	=	99.480%	
43) trans-1,3-Dichloroprop...	8.952	79	50816	53.466	ug/L	0.00
Spiked Amount	50.000	Range 60 - 125	Recovery	=	106.940%	
47) 2-Hexanone-d5	9.385	63	110117	140.005	ug/L	0.00
Spiked Amount	100.000	Range 45 - 130	Recovery	=	140.010%#	
56) 1,1,2,2-Tetrachloroeth...	11.189	84	171367	67.204	ug/L	0.00
Spiked Amount	50.000	Range 65 - 120	Recovery	=	134.400%#	
66) 1,2-Dichlorobenzene-d4	12.317	152	123226	62.750	ug/L	0.00
Spiked Amount	50.000	Range 80 - 120	Recovery	=	125.500%#	

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX110424\
Data File : VX043686.D
Acq On : 04 Nov 2024 16:41
Operator : JC/MD
Sample : P4621-03
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 18 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
BH6M9

Quant Time: Nov 05 03:47:03 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\SFAMXLM110424WMA.M
Quant Title : VOC Analysis
QLast Update : Tue Nov 05 03:44:12 2024
Response via : Initial Calibration

