

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX110424\
Data File : VX043689.D
Acq On : 04 Nov 2024 17:51
Operator : JC/MD
Sample : P4621-06
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 21 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
BH6N2

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Sampling : 1

Start Thrs: 0.2

Stop Thrs : 0

Filtering: 5

Min Area: 0 % of largest Peak

Max Peaks: 100

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\SFAMXML110424WMA.M
Title : VOC Analysis

Signal : TIC: VX043689.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.368	43	46	57	rBV	108634	140084	9.84%	1.569%
2	1.642	88	91	104	rVB	63267	102244	7.18%	1.146%
3	2.294	192	198	208	rBV	234304	367545	25.81%	4.118%
4	2.386	209	213	222	rVB	13581	24761	1.74%	0.277%
5	2.776	274	277	286	rVB4	3688	6761	0.47%	0.076%
6	2.867	290	292	294	rVB	443	360	0.03%	0.004%
7	2.940	294	304	313	rBV2	6832	17409	1.22%	0.195%
8	3.312	364	365	366	rBV	500	234	0.02%	0.003%
9	3.434	380	385	392	rBV5	2007	4659	0.33%	0.052%
10	3.526	396	400	401	rBV2	216	263	0.02%	0.003%
11	3.617	414	415	417	rBV	341	318	0.02%	0.004%
12	3.763	436	439	440	rVV2	300	298	0.02%	0.003%
13	3.806	444	446	450	rBV2	321	498	0.03%	0.006%
14	3.898	459	461	463	rVB3	366	291	0.02%	0.003%
15	3.934	463	467	468	rBV2	209	265	0.02%	0.003%
16	3.983	471	475	477	rBV	498	656	0.05%	0.007%
17	4.038	482	484	485	rBV	516	395	0.03%	0.004%
18	4.117	494	497	498	rBV2	383	319	0.02%	0.004%
19	4.178	505	507	510	rVB3	426	464	0.03%	0.005%
20	4.379	538	540	543	rVB2	515	477	0.03%	0.005%
21	4.465	546	554	573	rBV	106951	342461	24.05%	3.837%
22	4.885	621	623	626	rBV2	377	405	0.03%	0.005%
23	5.050	638	650	668	rBV	188428	585622	41.12%	6.561%
24	5.263	683	685	687	rBV2	439	421	0.03%	0.005%
25	5.391	704	706	708	rBV3	338	347	0.02%	0.004%
26	5.495	722	723	727	rVB	408	244	0.02%	0.003%
27	5.531	727	729	731	rBV2	354	356	0.02%	0.004%
28	5.842	778	780	783	rBV2	398	477	0.03%	0.005%
29	5.964	789	800	819	rBV2	475475	1424090	100.00%	15.955%
30	6.531	891	893	894	rVB	452	272	0.02%	0.003%
31	6.598	901	904	907	rBV3	398	564	0.04%	0.006%
32	6.757	922	930	946	rBV	117072	284809	20.00%	3.191%
33	6.976	964	966	968	rVB3	453	294	0.02%	0.003%
34	7.056	977	979	980	rBV	465	434	0.03%	0.005%
35	7.110	981	988	1002	rVB3	17377	41171	2.89%	0.461%
36	7.306	1011	1020	1032	rBV	301728	668780	46.96%	7.493%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX110424\
 Data File : VX043689.D
 Acq On : 04 Nov 2024 17:51
 Operator : JC/MD
 Sample : P4621-06
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 21 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 BH6N2

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Sampling : 1

Start Thrs: 0.2

Stop Thrs : 0

Filtering: 5

Min Area: 0 % of largest Peak

Max Peaks: 100

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\SFAMXLM110424WMA.M
 Title : VOC Analysis

37	7.610	1068	1070	1072	rBV2	306	276	0.02%	0.003%
38	7.757	1092	1094	1095	rBV	332	230	0.02%	0.003%
39	7.787	1098	1099	1101	rBV	330	255	0.02%	0.003%
40	7.824	1101	1105	1112	rBV3	882	1908	0.13%	0.021%
41	7.903	1116	1118	1121	rVV2	247	231	0.02%	0.003%
42	7.958	1123	1127	1132	rBV5	1336	2535	0.18%	0.028%
43	8.025	1136	1138	1141	rBV2	364	446	0.03%	0.005%
44	8.275	1176	1179	1180	rBV	408	366	0.03%	0.004%
45	8.324	1181	1187	1201	rVV	198527	331487	23.28%	3.714%
46	8.580	1227	1229	1233	rBV3	1034	1041	0.07%	0.012%
47	8.647	1233	1240	1256	rBV	685306	1087313	76.35%	12.182%
48	8.885	1278	1279	1281	rVB2	667	339	0.02%	0.004%
49	8.952	1284	1290	1298	rBV	140559	214230	15.04%	2.400%
50	9.250	1337	1339	1340	rBV	441	283	0.02%	0.003%
51	9.275	1340	1343	1346	rVB4	1001	1066	0.07%	0.012%
52	9.384	1356	1361	1379	rBV	500041	795916	55.89%	8.917%
53	9.720	1413	1416	1418	rBV3	439	566	0.04%	0.006%
54	9.872	1439	1441	1444	rVB2	626	605	0.04%	0.007%
55	9.903	1444	1446	1447	rBV	400	336	0.02%	0.004%
56	9.915	1447	1448	1450	rBV2	446	272	0.02%	0.003%
57	10.055	1465	1471	1482	rBV	237495	334925	23.52%	3.752%
58	10.305	1510	1512	1516	rBV3	361	484	0.03%	0.005%
59	10.653	1566	1569	1570	rBV	555	389	0.03%	0.004%
60	10.726	1580	1581	1584	rBV2	398	325	0.02%	0.004%
61	11.012	1625	1628	1631	rBV3	330	455	0.03%	0.005%
62	11.122	1644	1646	1647	rBV	460	245	0.02%	0.003%
63	11.189	1652	1657	1671	rVV	611624	775782	54.48%	8.692%
64	11.561	1716	1718	1720	rVB2	421	262	0.02%	0.003%
65	11.750	1746	1749	1751	rBV2	302	396	0.03%	0.004%
66	11.799	1756	1757	1759	rVB2	426	242	0.02%	0.003%
67	11.835	1761	1763	1764	rBV2	373	283	0.02%	0.003%
68	11.902	1773	1774	1777	rBV2	393	241	0.02%	0.003%
69	11.975	1784	1786	1788	rBV2	488	313	0.02%	0.004%
70	12.018	1788	1793	1805	rBV	225144	295431	20.75%	3.310%
71	12.189	1819	1821	1824	rBV2	381	331	0.02%	0.004%
72	12.256	1830	1832	1833	rBV	340	325	0.02%	0.004%
73	12.317	1837	1842	1859	rVB	832655	1042432	73.20%	11.679%
74	12.530	1875	1877	1880	rBV3	295	278	0.02%	0.003%
75	12.579	1883	1885	1888	rVB3	458	573	0.04%	0.006%
76	12.768	1912	1916	1920	rVB4	914	1270	0.09%	0.014%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX110424\
 Data File : VX043689.D
 Acq On : 04 Nov 2024 17:51
 Operator : JC/MD
 Sample : P4621-06
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 21 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 BH6N2

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\SFAMXLM110424WMA.M
 Title : VOC Analysis

77	12.811	1922	1923	1926	rBV3	256	289	0.02%	0.003%
78	12.957	1945	1947	1949	rBV	457	579	0.04%	0.006%
79	13.073	1965	1966	1969	rBV2	550	559	0.04%	0.006%
80	13.115	1969	1973	1975	rVV3	443	515	0.04%	0.006%
81	13.164	1980	1981	1984	rVV	535	446	0.03%	0.005%
82	13.213	1987	1989	1992	rVV2	313	340	0.02%	0.004%
83	13.237	1992	1993	1996	rVB	408	292	0.02%	0.003%
84	13.304	2002	2004	2006	rVB	355	230	0.02%	0.003%
85	13.420	2020	2023	2026	rBV2	338	471	0.03%	0.005%
86	13.475	2030	2032	2035	rVV2	330	327	0.02%	0.004%
87	13.664	2062	2063	2068	rBV2	415	579	0.04%	0.006%
88	14.012	2118	2120	2121	rVB	464	238	0.02%	0.003%
89	14.030	2121	2123	2126	rVB	406	360	0.03%	0.004%
90	14.280	2163	2164	2169	rBV2	552	775	0.05%	0.009%
91	14.445	2188	2191	2196	rBV3	853	1349	0.09%	0.015%
92	14.603	2215	2217	2219	rBV2	447	549	0.04%	0.006%
93	14.658	2224	2226	2227	rBV	491	281	0.02%	0.003%
94	14.786	2245	2247	2248	rBV	461	416	0.03%	0.005%
95	15.018	2283	2285	2286	rBV2	530	410	0.03%	0.005%
96	15.231	2318	2320	2322	rBV2	528	428	0.03%	0.005%
97	16.097	2460	2462	2463	rBV2	806	767	0.05%	0.009%
98	16.206	2478	2480	2483	rBV3	666	762	0.05%	0.009%
99	16.414	2513	2514	2515	rBV	802	421	0.03%	0.005%
100	16.548	2535	2536	2538	rVB	673	426	0.03%	0.005%

Sum of corrected areas: 8925540




Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX110424\
Data File : VX043689.D
Acq On : 04 Nov 2024 17:51
Operator : JC/MD
Sample : P4621-06
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 21 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
BH6N2

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\SFAMXLM110424WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L

TIC Integration Parameters: LSCINT.P



Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX110424\
Data File : VX043689.D
Acq On : 04 Nov 2024 17:51
Operator : JC/MD
Sample : P4621-06
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 21 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
BH6N2

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\SFAMXLM110424WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX110424\
Data File : VX043689.D
Acq On : 04 Nov 2024 17:51
Operator : JC/MD
Sample : P4621-06
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 21 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
BH6N2

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\SFAMXML110424WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard--
					# RT Resp Conc
