

# **ANALYTICAL RESULTS SUMMARY**

GENERAL CHEMISTRY METALS

#### **PROJECT NAME : FT MEADE TIPTON AIRFIELD PARCEL RI - PO 0111169**

WESTON SOLUTIONS 1400 Weston Way PO Box 2653 West Chester, PA - 19380 Phone No: 610-701-7400

ORDER ID: P5236

**ATTENTION : Nathan Fretz** 



Laboratory Certification ID # 20012







1) Signature Page	3
2) Case Narrative	4
2.1) Metals-MS- Case Narrative	4
2.2) Genchem- Case Narrative	6
3) Qualifier Page	7
4) QA Checklist	8
5) Metals-MS Data	9
6) Genchem Data	13
7) Shipping Document	16
7.1) CHAIN OF CUSTODY	17
7.2) Lab Certificate	18



# **Cover Page**

- **Order ID :** P5236
- Project ID : Ft Meade Tipton Airfield Parcel RI PO 0111169
  - Client : Weston Solutions

#### Lab Sample Number

#### Client Sample Number

P5236-01

TAPIAL3-SB03D-3-120724-00-T01

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hard copy data package has been authorized by the laboratory manager or his designee, as verified by the following signature.

Signature :

Date: 12/23/2024

NYDOH CERTIFICATION NO - 11376

NJDEP CERTIFICATION NO - 20012



284 Sheffield Street, Mountainside, NJ 07092 Phone: 908 789 8900 Fax: 908 789 8922

### CASE NARRATIVE

2.1

Weston Solutions Project Name: Ft Meade Tipton Airfield Parcel RI - PO 0111169 Project # N/A Chemtech Project # P5236 **Test Name: Metals ICP-TAL, Mercury** 

#### A. Number of Samples and Date of Receipt:

1 Solid sample was received on 12/10/2024.

#### **B.** Parameters:

According to the Chain of Custody document, the following analyses were requested: Anions Group1, Mercury, Metals ICP-TAL, METALS-TAL, pH and TOC. This data package contains results for Metals ICP-TAL, Mercury.

#### **C. Analytical Techniques:**

The analysis of Metals ICP-TAL was based on method 6020B, digestion based on method 3050 (soils). The analysis and digestion of Mercury was based on method 7471B.

#### **D. OA/ OC Samples:**

The Holding Times were met for all analysis. The Blank Spike met requirements for all samples. The Duplicate analysis met criteria for all samples. The Matrix Spike (TAPIAL3-SB04I-10-120324-00-T1MS) analysis met criteria for all samples except for Antimony, Arsenic, Beryllium, Cadmium, Chromium, Cobalt, Nickel, Selenium, Silver, Thallium, Vanadium due to matrix interference. The Matrix Spike Duplicate (TAPIAL3-SB04I-10-120324-00-T1MSD) analysis met criteria for all samples except for Antimony, Arsenic, Beryllium, Cadmium, Chromium, Cobalt, Nickel, Selenium, Silver, Thallium, Vanadium due to matrix interference. The Blank analysis did not indicate the presence of lab contamination. The Calibration met the requirements.

The Serial Dilution met criteria for all samples.

#### **E.** Calculations:

#### **Calculation for ICP-MS Soil Sample:**

Conversion of Results from  $\mu g/L$  or ppb to mg/kg :

Concentration (mg/kg) = 
$$C \times Vf = Vf = 1000$$
  
W x S

Where,



C = Instrument value in ppb (The average of all replicate integrations)

2.1

- Vf = Final digestion volume (mL)
- W = Initial aliquot amount (g) (Fraction of Sample amount taken in prep)
- S = % Solids / 100 (Fraction of Percent Solids)
- DF = Dilution Factor

#### **Calculation for Hg Soil Sample:**

Conversion of Results from  $\mu g$  /L or ppb to mg/kg :

Concentration (mg/kg) =  $C \times \frac{Vf}{W \times S} \times \frac{DF}{1000}$ 

Where,

C = Instrument response in μg/L from the calibration curve. Vf = Final prepared (absorbing solution) volume (mL) W = Initial aliquot amount (g) (Fraction of Sample amount taken in prep) S = % Solids / 100 (Fraction of Percent Solids) DF = Dilution Factor

#### **F. Additional Comments:**

Sample P5236-01 reported with straight 5X dilution due to high interferent samples.

Collision cell is being used to remove potential interferences. The analytes Na, Mg, Al, K, V, Cr, Mn, Fe, Co, Ni, Cu, Zn, As are being analyzed with collision cell and analytes Be, B, Ca, Ti, Se, Sr, Zr, Mo, Ag, Cd, Sn, Sb, Ba, Tl, Pb, U are being analyzed with Non-Collision Cell. Helium gas is used for the Collision Cell analysis.

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

Signature\_\_\_\_\_



284 Sheffield Street, Mountainside, NJ 07092 Phone: 908 789 8900 Fax: 908 789 8922

## CASE NARRATIVE

22

Weston Solutions Project Name: Ft Meade Tipton Airfield Parcel RI - PO 0111169 Project # N/A Chemtech Project # P5236 Test Name: pH,TOC,Anions Group1

#### A. Number of Samples and Date of Receipt:

1 Solid sample was received on 12/10/2024.

#### **B.** Parameters:

According to the Chain of Custody document, the following analyses were requested: Anions Group1, Mercury, Metals ICP-TAL, METALS-TAL, pH and TOC. This data package contains results for pH,TOC,Anions Group1.

#### **C. Analytical Techniques:**

The analysis of pH was based on method 9045D, The analysis of Anions Group1 was based on method 9056A and The analysis of TOC was based on method 9060A.

#### D. QA/ QC Samples:

The Holding Times were met for all samples except for TAPIAL3-SB03D-3-120724-00-T01 of pH as sample receive out of holding time. The Blank Spike met requirements for all samples. The Duplicate analysis met criteria for all samples. The Matrix Spike (TAPIAL3-SB03D-3-120724-00-T01MS) analysis met criteria for all samples except for Fluoride due to sample matrix interference. The Matrix Spike Duplicate (TAPIAL3-SB03D-3-120724-00-T01MSD) analysis met criteria for all samples except for Fluoride due to sample matrix interference. The Blank analysis did not indicate the presence of lab contamination. The Calibration met the requirements.

#### **E. Additional Comments:**

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

Signature\_\_\_\_\_



#### DATA REPORTING QUALIFIERS- INORGANIC

For reporting results, the following " Results Qualifiers" are used:

J	Indicates the reported value was obtained from a reading that was less than the Contract Required Detection Limit (CRDL), but greater than or equal to the Instrument Detection Limit (IDL).
U	Indicates the analyte was analyzed for, but not detected.
ND	Indicates the analyte was analyzed for, but not detected
Ε	Indicates the reported value is estimated because of the presence of interference
Μ	Indicates Duplicate injection precision not met.
Ν	Indicates the spiked sample recovery is not within control limits.
S	Indicates the reported value was determined by the Method of Standard Addition (MSA).
*	Indicates that the duplicate analysis is not within control limits.
+	Indicates the correlation coefficient for the MSA is less than 0.995.
D	Indicates the reported value is from a secondary analysis with a dilution factor. The original analysis exceeded the calibration range.
M OR	Method qualifiers"P"for ICP instrument"PM"for ICP when Microwave Digestion is used"CV"for Manual Cold Vapor AA"AV"for automated Cold Vapor AA"CA"for MIDI-Distillation Spectrophotometric"AS"for Semi – Automated Spectrophotometric"C"for Manual Spectrophotometric"T"for Titrimetric"NR"for analyte not required to be analyzedIndicates the analyte's concentration exceeds the calibrated range of the instrument for that specific analysis.
Q	Indicates the LCS did not meet the control limits requirements
Н	Sample Analysis Out Of Hold Time



#### APPENDIX A

#### **QA REVIEW GENERAL DOCUMENTATION**

Project #: P5236

Completed

For thorough review, the report must have the following:	
GENERAL:	
Are all original paperwork present (chain of custody, record of communication,airbill, sample management lab chronicle, login page)	<u> </u>
Check chain-of-custody for proper relinquish/return of samples	
Is the chain of custody signed and complete	<u>✓</u>
Check internal chain-of-custody for proper relinquish/return of samples /sample extracts	<u>✓</u>
Collect information for each project id from server. Were all requirements followed	<u>✓</u>
COVER PAGE:	
Do numbers of samples correspond to the number of samples in the Chain of Custody on login page	<u>✓</u>
Do lab numbers and client Ids on cover page agree with the Chain of Custody	<u>✓</u>
CHAIN OF CUSTODY:	
Do requested analyses on Chain of Custody agree with form I results	<u>✓</u>
Do requested analyses on Chain of Custody agree with the log-in page	<u>✓</u>
Were the correct method log-in for analysis according to the Analytical Request and Chain of Castody	
Were the samples received within hold time	<u>✓</u>
Were any problems found with the samples at arrival recorded in the Sample Management Laboratory Chronicle	<u> </u>
ANALYTICAL:	
Was method requirement followed?	<u> </u>
Was client requirement followed?	<u> </u>
Does the case narrative summarize all QC failure?	
All runlogs and manual integration are reviewed for requirements	<u>✓</u>
All manual calculations and /or hand notations verified	<u>✓</u>

QA Review Signature: SOHIL JODHANI



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900, Fax : 908 789 8922

#### Hit Summary Sheet SW-846

SDG No.:	P5236				Order ID:		P5236			
Client:	Weston Solutions				Project ID:		Ft Meade	Tipton Airfield	Parcel RI -	• PO 01
Sample ID	Client ID	Matrix	Parameter	Conc	entration	С	MDL	LOD	RDL	Units
Client ID :	TAPIAL3-SB03D-3-120724	4-00-T01								
P5236-01	TAPIAL3-SB03D-3-12072	24-00-] SOIL	Aluminum	899		D	2.67	4.77	9.54	mg/Kg
P5236-01	TAPIAL3-SB03D-3-12072	24-00-] SOIL	Arsenic	5.07		D	0.043	0.12	0.48	mg/Kg
P5236-01	TAPIAL3-SB03D-3-12072	24-00-7 SOIL	Barium	6.09		D	0.18	0.60	4.77	mg/Kg
P5236-01	TAPIAL3-SB03D-3-12072	24-00-] SOIL	Cadmium	0.14		JD	0.13	0.36	0.48	mg/Kg
P5236-01	TAPIAL3-SB03D-3-12072	24-00-] SOIL	Chromium	19.2		D	0.12	0.24	0.95	mg/Kg
P5236-01	TAPIAL3-SB03D-3-12072	24-00-7 SOIL	Copper	4.06		D	0.27	0.48	0.95	mg/Kg
P5236-01	TAPIAL3-SB03D-3-12072	24-00-7 SOIL	Iron	4540		D	5.30	5.96	23.9	mg/Kg
P5236-01	TAPIAL3-SB03D-3-12072	24-00-] SOIL	Lead	3.12		D	0.072	0.36	0.48	mg/Kg
P5236-01	TAPIAL3-SB03D-3-12072	24-00-7 SOIL	Manganese	0.53		D	0.16	0.24	0.48	mg/Kg
P5236-01	TAPIAL3-SB03D-3-12072	24-00-] SOIL	Nickel	0.14		JD	0.076	0.12	0.48	mg/Kg
P5236-01	TAPIAL3-SB03D-3-12072	24-00-7 SOIL	Mercury	0.019	9		0.0070	0.013	0.016	mg/Kg
P5236-01	TAPIAL3-SB03D-3-12072	24-00-7 SOIL	Potassium	149		JD	19.0	90.7	239	mg/Kg
P5236-01	TAPIAL3-SB03D-3-12072	24-00-7 SOIL	Vanadium	28.2		D	0.038	0.12	2.39	mg/Kg

B C

D





5

A B C D



# **Report of Analysis**

L	Client:	Weston Solutions	Date Collected:	12/07/24	
L	Project:	Ft Meade Tipton Airfield Parcel RI - PO 0111169	Date Received:	12/10/24	
	Client Sample ID:	TAPIAL3-SB03D-3-120724-00-T01	SDG No.:	P5236	ľ
	Lab Sample ID:	P5236-01	Matrix:	SOIL	
l	Level (low/med):	low	% Solid:	85.2	

Cas	Parameter	Conc.	Qua. DF	MDL	LOD	LOQ / CRQL	Units(Dry V	Weigh <b>P</b> )rep Date	Date Ana.	Ana Met.	Prep Met.
7429-90-5	Aluminum	899	D 5	2.67	4.77	9.54	mg/Kg	12/18/24 10:40	12/19/24 17:11	SW6020	SW3050
7440-36-0	Antimony	0.36	UDN5	0.048	0.36	0.95	mg/Kg	12/18/24 10:40	12/19/24 17:11	SW6020	SW3050
7440-38-2	Arsenic	5.07	DN 5	0.043	0.12	0.48	mg/Kg	12/18/24 10:40	12/19/24 17:11	SW6020	SW3050
7440-39-3	Barium	6.09	D 5	0.18	0.60	4.77	mg/Kg	12/18/24 10:40	12/19/24 17:11	SW6020	SW3050
7440-41-7	Beryllium	0.36	UDN5	0.12	0.36	0.48	mg/Kg	12/18/24 10:40	12/19/24 17:11	SW6020	SW3050
7440-43-9	Cadmium	0.14	JDN 5	0.13	0.36	0.48	mg/Kg	12/18/24 10:40	12/19/24 17:11	SW6020	SW3050
7440-70-2	Calcium	90.7	UD 5	32.2	90.7	239	mg/Kg	12/18/24 10:40	12/19/24 17:11	SW6020	SW3050
7440-47-3	Chromium	19.2	DN 5	0.12	0.24	0.95	mg/Kg	12/18/24 10:40	12/19/24 17:11	SW6020	SW3050
7440-48-4	Cobalt	0.12	UDN5	0.038	0.12	0.48	mg/Kg	12/18/24 10:40	12/19/24 17:11	SW6020	SW3050
7440-50-8	Copper	4.06	D 5	0.27	0.48	0.95	mg/Kg	12/18/24 10:40	12/19/24 17:11	SW6020	SW3050
7439-89-6	Iron	4540	D 5	5.30	5.96	23.9	mg/Kg	12/18/24 10:40	12/19/24 17:11	SW6020	SW3050
7439-92-1	Lead	3.12	D 5	0.072	0.36	0.48	mg/Kg	12/18/24 10:40	12/19/24 17:11	SW6020	SW3050
7439-95-4	Magnesium	90.7	UD 5	12.9	90.7	239	mg/Kg	12/18/24 10:40	12/19/24 17:11	SW6020	SW3050
7439-96-5	Manganese	0.53	D 5	0.16	0.24	0.48	mg/Kg	12/18/24 10:40	12/19/24 17:11	SW6020	SW3050
7439-97-6	Mercury	0.019	1	0.0070	0.013	0.016	mg/Kg	12/10/24 15:50	12/11/24 12:32	SW7471B	
7440-02-0	Nickel	0.14	JDN 5	0.076	0.12	0.48	mg/Kg	12/18/24 10:40	12/19/24 17:11	SW6020	SW3050
7440-09-7	Potassium	149	JD 5	19.0	90.7	239	mg/Kg	12/18/24 10:40	12/19/24 17:11	SW6020	SW3050
7782-49-2	Selenium	2.15	UDN5	0.57	2.15	2.39	mg/Kg	12/18/24 10:40	12/19/24 17:11	SW6020	SW3050
7440-22-4	Silver	0.24	UDN5	0.12	0.24	0.48	mg/Kg	12/18/24 10:40	12/19/24 17:11	SW6020	SW3050
7440-23-5	Sodium	119	UD 5	29.2	119	239	mg/Kg	12/18/24 10:40	12/19/24 17:11	SW6020	SW3050
7440-28-0	Thallium	0.24	UDN5	0.048	0.24	0.48	mg/Kg	12/18/24 10:40	12/19/24 17:11	SW6020	SW3050
7440-62-2	Vanadium	28.2	DN 5	0.038	0.12	2.39	mg/Kg	12/18/24 10:40	12/19/24 17:11	SW6020	SW3050
7440-66-6	Zinc	0.72	UD 5	0.62	0.72	2.39	mg/Kg	12/18/24 10:40	12/19/24 17:11	SW6020	SW3050

Color Before:	light Brown	Clarity Before:	Texture: Medium
Color After:	Yellow	Clarity After:	Artifacts:
Comments:	METALS-TAL		
U = Not Detec	eted		J = Estimated Value
LOQ = Limit	of Quantitation		B = Analyte Found in Associated Method Blank
MDL = Metho	od Detection Limit		* = indicates the duplicate analysis is not within control limits.
LOD = Limit	of Detection		E = Indicates the reported value is estimated because of the presence
D = Dilution			of interference.
Q = indicates	LCS control criteria did	not meet requirements	OR = Over Range
			N =Spiked sample recovery not within control limits
°5236			11 of 18

5

B C D



# LAB CHRONICLE

OrderID: Client: Contact:	P5236 Weston Solutions Nathan Fretz			OrderDate: Project: Location:	12/10/2024 12: Ft Meade Tiptor L51		el RI - PO 01111	69
LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
P5236-01	TAPIAL3-SB03D-3-12 0724-00-T01	SOIL			12/07/24			12/10/24
			Mercury Metals ICP-TAL	7471B 6020B		12/10/24 12/18/24	12/11/24 12/19/24	





6

В



#### **Report of Analysis**

				ΙB
Client:	Weston Solutions	Date Collected:	12/07/24 14:15	
Project:	Ft Meade Tipton Airfield Parcel RI - PO 0111169	Date Received:	12/10/24	
Client Sample ID:	TAPIAL3-SB03D-3-120724-00-T01	SDG No.:	P5236	
Lab Sample ID:	P5236-01	Matrix:	SOIL	
		% Solid:	85.2	

Parameter	Conc.	Qua.	DF	MDL	LOD	LOQ / CRQL	Units(Dry Weight) Prep Date	Date Ana.	Ana Met.
Bromide	23.4	U	1	0.57	23.4	46.9	mg/Kg	12/11/24 16:33	9056A
Chloride	1.50	J	1	0.11	7.00	14.1	mg/Kg	12/11/24 16:33	9056A
Fluoride	0.56	J	1	0.45	4.70	9.40	mg/Kg	12/11/24 16:33	9056A
Nitrite	7.00	U	1	0.22	7.00	14.1	mg/Kg	12/11/24 16:33	9056A
Nitrate	5.90	U	1	0.10	5.90	11.7	mg/Kg	12/11/24 16:33	9056A
Sulfate	22.8	J	1	0.71	35.1	70.3	mg/Kg	12/11/24 16:33	9056A
рН	4.96	Н	1	0	0	0	pH	12/12/24 09:25	9045D
TOC	899		1	19.8	50.0	250	mg/Kg	12/17/24 13:16	9060A

Comments: pH result reported at temperature 23.3 °C

U =	Not D	etected

- LOQ = Limit of Quantitation
- MDL = Method Detection Limit
- LOD = Limit of Detection
- D = Dilution
- Q = indicates LCS control criteria did not meet requirements
- H = Sample Analysis Out Of Hold Time

- J = Estimated Value
- B = Analyte Found in Associated Method Blank
- \* = indicates the duplicate analysis is not within control limits.
- E = Indicates the reported value is estimated because of the presence of interference.
- OR = Over Range
- N =Spiked sample recovery not within control limits



# Α

С

6

# LAB CHRONICLE

OrderID: Client: Contact:	P5236 Weston Solutions Nathan Fretz			OrderDate: Project: Location:	12/10/2024 12: Ft Meade Tipto L51		I RI - PO 01111	69
LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
P5236-01	TAPIAL3-SB03D-3-12 0724-00-T01	SOIL			12/07/24 14:15			12/10/24
			Anions Group1	9056A			12/11/24	
			рН	9045D			16:33 12/12/24	
							09:25	
			TOC	9060A			12/17/24	
							13:16	



# <u>SHIPPING</u> DOCUMENTS

7

Weston COC ID

Weston\_20241209\_1435

#### Chain of Custody Record/Lab Work Request

Fort Meade RI

0111169

CHEMTECH

21

Anions by EPA 9056A

pH by EPA 9045D

Project Name:

PO Number

TAT (days):

Lab Address:

W.O. #:

Lab:

Analyses Requested:

Page 1 of 1

Nathan Fretz

484-524-5665

Jordan Hedvat

908-728-3144

POC e-mail: nathan.fretz@westonsolutions.com

Project POC:

Phone:

Lab POC:

Lab Phone:

284 Sheffield Street Mountainside, NJ 07092

TOC by 9060A

TAL Metals by EPA 60208/7471B

7.1 OT THE R. S.

P5236

Matrix Codes

SB- Soil

SO - Solid

SL - Sludge

O - Oil

A- Air

GW - Groundwater W - Water

DS - Drum Solids DL - Drum Liquids

SE - Sediment

Client:	Weston Solutions, Inc. David Sembrot							
Project Manager:								
Street Address:	1400 Weston Way	City:	West Chester					
Phone:	610-314-5456	ST, ZIP:	PA, 19038					
e-mail:	david.sembrot@westonsolutions.com							
Sampled By:	Cheyenne Harrington							

Lab Use Only						
Temperature of cooler when received (°C)						
COC Tape was present and unbroken on outer package?	Y	N				
Samples received in good condition?	Y	N				
Labels indicate properly preserved?	Y	N				
Received within holding times?	Y	N				
Discrepancies between sample labels and COC record?	Y	N				

					1				1.2		 	 	 			
els indicate properly preserved?		Y	N				₹								<b>ب</b> -	EP/TCLP Leachate
eived within holding times?		Y	N	]		Container Type:	Glass	Glass	Glass	Glass					W	- Wipe
repancies between sample labels and COC record?		Y	N			Container Size:			8 oz						×۰	Other
				•		Preservative:	Ice to 0-6	Ice to 0-6	Ice to 0-6	ice to 0-6					F-	Fish
Sample ID	G/C	Matrix	# Cont	MS/MSD	Date Collected	Time Collected								Spe	cial Inst	ructions/Comments
TAPIAL3-SB03D-3-120724-00-T01	g	SB	3	no	12/7/2024	14:15	·X	X	X	×						

Γ	Shipping Airbill Number(s):						Cooler Number: 1 of 1
	Relinguished By	Date	Time	Received By	Date	Time	Additional Comments
1.)	Sande	12/27	180	, /			QSM 6.0 Compliant
2.)	FEREX	12/10/21	1003	A	12/10/24	1003	Deliverable Requirements: DoD Level IV report, EnviroData EDD, and ERIS-compatible EDD
3.)							
						3.1.0	

17 of 18

1



# Laboratory Certification

Certified By	License No.
CAS EPA CLP Contract	68HERH20D0011
Connecticut	PH-0830
DOD ELAP (ANAB)	L2219
Maine	2024021
Maryland	296
New Hampshire	255424 Rev 1
New Jersey	20012
New York	11376
Pennsylvania	68-00548
Soil Permit	525-24-234-08441
Texas	T104704488

7 7.2